


Entrapment Protection Devices




Monitored Electric Sensing Edges

SENSEEDGE 044UM



- For Sectional Doors, Sliding Gates, Conveyors, Presses
- Industry Codification: ME-123
- 2-wire type / Monitored
- Wire Outlet Location: Universal
- Vertical or Horizontal mount
- Dimensions: 1.5" x 2"
- Min./Max. Length: 6' / 40'
- Electrical Rating: 24VAC/DC, 0.5Amp
- To be used with INTERFACE002
- Sold per inch, made-to-order lengths, no returns or exchanges
- Mounting channel available
- For Non-Monitored function, order SENSEEDGE044U

SENSEEDGE 018UM



- For Rolling Doors with Double Angle Bottom Bar
- Industry Codification: MT-22
- 2-wire type / Monitored
- Wire Outlet Location: E/R/L/U
- Horizontal mount
- Dimensions: 2" x 2" with 1.5" flap
- Electrical Rating: 24VAC/DC, 0.5Amp
- Specify wire outlet location
- To be used with INTERFACE002
- Sold per foot, made-to-order lengths, no returns or exchanges
- Must order 2" less than total width of door for flaps to fit
- For Non-Monitored function, order SENSEEDGE018U

Entrapment Protection Devices




Non-Monitored Electric Sensing Edges

SENSEEDGE 044U




- For Sectional Doors, Sliding Gates, Conveyors, Presses
- Industry Codification: ME-123
- 2-wire type / NO / Non-Monitored
- Wire Outlet Location: Universal
- Vertical or Horizontal mount
- Dimensions: 1.5" x 2"
- Min./Max. Length: 6' / 40'
- Electrical Rating: 24VAC/DC, 0.5Amp
- Sold per inch, made-to-order lengths, no returns or exchanges
- Mounting channel available
- For Monitored function, order SENSEEDGE044UM
- For 4-wire option, order SENSEEDGE014 and MOD004

SENSEEDGE 007




- For Sectional Doors
- Industry Codification: ME-113
- 2-wire type / NO / Non-Monitored
- Wire Outlet Location: E/R/L/U
- Vertical or Horizontal mount
- Dimensions: 1.5" x 1.5"
- Electrical Rating: 24VAC/DC, 0.5Amp
- Specify wire outlet location
- Sold per foot, made-to-order lengths, no returns or exchanges
- Mounting channel available
- For 4-wire option, order SENSEEDGE008 and MOD004

SENSEEDGE 021




- For Sectional Doors, Aircraft Hangar Doors
- Industry Codification: MU-22
- 2-wire type / NO / Non-Monitored
- Wire Outlet Location: E/R/L
- Vertical or Horizontal mount
- Dimensions: 2" x 2" with 1.63" flap
- Electrical Rating: 24VAC/DC, 0.5Amp
- Specify wire outlet location
- Sold per foot, made-to-order lengths, no returns or exchanges
- For 4-wire option, order SENSEEDGE022 & MOD004

SENSEEDGE 040



- For Sectional Doors
- Industry Codification: MU-21
- 2-wire type / NO / Non-Monitored
- Wire Outlet Location: E/R/L/U
- Vertical or Horizontal mount
- Dimensions: 1.75" x 1" with 1.63" flap
- Electrical Rating: 24VAC/DC, 0.5Amp
- Specify wire outlet location
- Sold per foot, made-to-order lengths, no returns or exchanges

SENSEEDGE 018U



- For Rolling Doors with Double Angle Bottom Bar
- Industry Codification: MT-22
- 2-wire type / NO / Non-Monitored
- Wire Outlet Location: E/R/L/U
- Horizontal mount
- Dimensions: 2" x 2" with 1.5" flap
- Electrical Rating: 24VAC/DC, 0.5Amp
- Sold per foot, made-to-order lengths, no returns or exchanges
- Must order 2" less than total width of door for flaps to fit
- For Monitored function, order SENSEEDGE018UM
- For 4-wire option, order SENSEEDGE020 & MOD004

SENSEEDGE 002




- For Counter Shutters, Emergency Switches, Conveyor Systems, Rolling Grills, Barrier Arms
- Industry Codification: ME-110
- 2-wire type / NO / Non-Monitored
- Wire Outlet Location: E/R/L
- Vertical or Horizontal mount
- Dimensions: 0.88" x 0.75"
- Electrical Rating: 24VAC/DC, 0.5Amp
- Specify wire outlet location
- Sold per foot, made-to-order lengths, no returns or exchanges
- Mounting channel available
- For 4-wire option, order SENSEEDGE003 & MOD004

Entrapment Protection Devices




Components & Accessories

INTERFACE 002




- Interface Module
- Engineered to emulate a monitored pulse signal required by some commercial door operators
- UL325 Recognized Component
- Indoor use
- Nema 4 enclosure
- Housing Material: ABS plastic / epoxy potting (module), galvanized steel (jbox)
- Operation Temp.: -35°C to 70°C (-31°F to 158°F)
- Dimensions: 1.8" x 1.25" x 0.8" (module)
- Dimensions: 1.5" x 4" x 2" (jbox)
- Includes: 1 interface module unit, junction box, cover
- To be used with: SENSEEDGE044UM, SENSEEDGE018UM

SENSEMOUNT 001




- Mounting Channel
- Application: SENSEEDGE044UM, SENSEEDGE044U
- Industry Codification: ME-123-C, ME-123-C3, ME-123-C7
- Channel shape: "C", "L", Flat
- Vertical or Horizontal mount
- Dimensions: 2" x 1.25", 3.5" (flat)
- Other shapes available upon request
- Sold per inch, made-to-order lengths, no returns or exchanges

SENSEMOUNT 003



- Mounting Channel
- Application: SENSEEDGE007
- Industry Codification: ME-113-C, ME-113-C3, ME-113-C7
- Channel shape: "C", "L", Flat
- Vertical or Horizontal mount
- Dimensions: 1.5" x 1.5", 1.5" (flat)
- Other shapes available upon request
- Sold per foot, made-to-order lengths, no returns or exchanges

SENSEMOUNT 004




- Mounting Channel
- Application: SENSEEDGE002
- Industry Codification: ME-110-C
- Channel shape: "C"
- Vertical or Horizontal mount
- Dimensions: 0.88" x 0.25" with 0.31" gap
- Other shapes available upon request
- Sold per foot, made-to-order lengths, no returns or exchanges

REELITE 005



- Metal Take-up Reel
- 2-wire cable
- 18 gauge
- 20' cord extension
- Includes: take-up reel, hanging bracket

REELITE 003




- Metal Take-up Reel
- 3-wire cable
- 18 gauge
- 30' extension
- Includes: take-up reel, hanging bracket

Entrapment Protection Devices




Components & Accessories

COIL 005




- Curly Coil Cord
- 2-wire
- 18 gauge
- 14' extension
- Color: red-orange
- For 20' extension, order COIL001

COIL 001




- Curly Coil Cord
- 2-wire
- 18 gauge
- 20' extension
- Color: red-orange
- For 14' extension, order COIL005

COIL 003




- Curly Coil Cord
- 4-wire
- 18 gauge
- 20' extension
- Color: red-orange
- For 25' extension in black only, order COIL010

COIL 010



- Curly Coil Cord
- 4-wire
- 18 gauge
- 25' extension
- Color: black
- For 20' extension, in red-orange order COIL003

COIL 007



- Curly Coil Cord
- 3-wire
- 18 gauge
- 20' extension
- Color: red-orange